Table des matières

Installation Plugin SCM-Creator 3

Installation Plugin SCM-Creator

PROBLEME : Redmine ne fonctionne plus correctement 😕

Télécharger avec RapidSVN

Copier le dossier dans `/var/www/redmine/plugins`

Modifier le fichier `scm.yml` situé dans le dossier du plugin pour indiquer où se trouvent les dépôts : Mercurial, Git, Svn. Copier le fichier `scm.yml` modifié dans `/var/www/redmine/config`

```
production:
  deny_delete: false
  auto_create: false
  force_repository: false
  pre_create: /usr/local/bin/pre-create.sh
  post_create: /usr/local/bin/post-create.sh
  pre_delete: /usr/local/bin/pre-delete.sh
  post_delete: /usr/local/bin/post-delete.sh
  max_repos: 0
  only_creator: false
  allow_add_local: false
  allow_pickup: false
  svn:
    path: /srv/repos/svn
    svnadmin: /usr/bin/svnadmin
    url: svn
  git:
    path: /srv/repos/git
    git: /usr/bin/git
    options: --bare
    url: http://git.myhost.com
    update_server_info: true
    git_ext: true
    append: trunk
  mercurial:
    path: /srv/repos/hg
    hg: /usr/bin/hg
  bazaar:
    path: /srv/repos/bazaar
    bzr: /usr/bin/bzr
    init: init-repository
    log_encoding: UTF-8
  github:
    path: /srv/repos/github
    api:
      token: 36857b12efbccc64ce725ea8674fab6ecbd05c03
      register_hook: true
```

```
development:
```

Puis, dans le dossier d'installation de Redmine : `cd /var/www/redmine/`

rake redmine:plugins:migrate RAILS_ENV=production

ou ???

```
bundle install --without development test postgresql sqlite
bundle exec rake redmine:plugins:migrate RAILS_ENV=production
```

From:
https://wikisio.lyceejeanbart.fr/ - **wikiSio**

Permanent link:
https://wikisio.lyceejeanbart.fr/doku.php?id=ouvert_a_tous:dafop_2014:redmine:ajout_plugin_scm_creator

Last update: **2022/12/03 07:45**